


# SPORTABLE SCOREBOARDS®


## SCOREBOARD SPECIFICATIONS FOR



**MODEL 3375 LED**

[www.sportablescoreboards.com](http://www.sportablescoreboards.com)

Sportable Scoreboard Inc.  
106 Max Hurt Drive  
Murray, KY 42071  
Phone: 800-323-4112 Fax: 270-759-4112  
[www.sportablescoreboards.com](http://www.sportablescoreboards.com)



Lead your league with this Baseball/Softball scoreboard! Large 15" high super-bright 100,000-hour rated LED numerals are the largest with the widest viewing angle in the industry and are visible over 300 feet. The 22-gauge galvanized steel cabinet with powder-coat finish means your scoreboard is the most durable on the market and will look brand new for many years! Scoreboard package includes: operator's keyboard, digit protective shields, junction box cover (cable models only), mounting rails and a complete operation, installation, service manual and warranty details on the CD shipped with each scoreboard.

**OVERALL DIMENSIONS**

6.0' tall x 8.0' wide x 8.0" depth

**WEIGHT**

Hanging weight: 270 lbs.  
Shipping weight: 370 lbs.

**CONSTRUCTION**

22-gauge galvanized steel cabinet with powder coat finish for strength, durability, and lasting appearance

**POWER REQUIREMENTS**

**Scoreboard:**

(1) 20-amp, 120-volt, 60-hertz, grounded AC circuit connected to an ON/OFF switch and/or circuit breaker

**Controller:**

Standard hand held controller.

**SCORING INFORMATION DISPLAYED**

**HOME:** 2-digit displays, 0-99

**GUEST:** 2-digit display, 0-99

**INNING:** 1-digit display, 0-9

**BALL, STRIKE and OUT:** 3 -1digit displays, 0-9

**HIT and ERROR:** 2 -2.0" dot displays

**CAPTIONS**

**HOME, GUEST and INNING:** 8.0" tall

**BALL, STRIKE and OUT:** 6.5" tall

**HIT and ERROR:** 5.5" tall

**Polymeric Calendared Vinyl Lettering**

**HOME, GUEST, INNING, BALL, STRIKE and OUT**

15.0" tall, 160° visibility, red, 100,000 hour-rated, outdoor Super-Bright LED (light emitting diode) displays  
**Impact Resistant Acrylic Protective Digit Shields and Adjustable LED Intensity Included**

**HIT and ERROR Displays**

2.0" dot displays, 160° visibility, red, 100,000 ho ur-rated, outdoor Super-Bright LED (light emitting diode) displays  
**Impact Resistant Acrylic Protective Digit Shields and Adjustable LED Intensity Included**

## **APPROVALS**

ETL/CSA listed

**Scoreboard:** Meets all FCC Class A requirements

**900MHz wireless transmitter:** FCC Part 15 certified

**900MHz wireless receiver:** Meets all FCC Part 15 requirements

## **WARRANTY**

This product is warranted against defects in materials and workmanship for the period specified in the warranty from the date of invoice. The complete warranty details are included on the CD shipped with each unit.

## **SERVICE**

**Technical Support is available 24 hours a day, 7 days a week @ 1-800-411-3136**

## **INSTALLATION**

This model may be installed between (2) 8" OD steel, schedule 40 poles; or (2) 8" I-beams, minimum. Hole depth /diameter as well as pole/concrete specifications must be based on customer's local building codes, soil conditions, and wind loads. Mounting rails are supplied.

***Support structure and mounting hardware supplied by installer/others***

## **SCOREBOARD CONTROLLER**

**Dimensions:** 2-1/4" X 1-1/4" tapered height x 6.0" width x 7.0" depth. **Weight:** 1lb.

The hand held controller available with this scoreboard is microprocessor-controlled, molded of high-impact ABS plastic, has a tactile membrane keypad. Options include 900 MHz wireless control and internal battery pack.

### **Cable-Controlled System (standard) Includes:**

- (1) Hand held controller
- (1) BASEBALL/SOFTBALL keypad inserts
- (1) Junction box cover with receptacle (to be installed at scorekeeper's location)
- (1) 20-ft. signal cable (used to connect the keyboard to the junction box receptacle)
- (1) Project-specific length of 4 wire twisted pair, shielded control cable


### **900MHz Wireless built into hand held controller (optional) Includes:**

- (1) Hand held controller (internal battery pack – 4 AA batteries)
- (1) BASEBALL/SOFTBALL keypad insert


## **OPTIONS**

Wireless Remote Control System  
Wireless Remote Control Battery Option  
Solar-Charged Battery Power  
Rechargeable Battery Power  
Sponsor/Logo Panels  
Custom Logos  
Custom Lettering  
Controller Carry Case  
Electronic Message Center

Scoreboard Dimensions:  
6.0' tall x 8.0' wide x 8.0" depth



Front View: Mounted



Rear View: Mounted

