


IMPORTANT
FOR PROPER COUNTERBALANCE
BASE MUST BE FILLED WITH
AT LEAST 55 LB. OF SAND



PLEASE NOTE:

- 1) FOR SAFE OPERATION AND CONTINUED HIGH PERFORMANCE FROM THIS EQUIPMENT, INSPECTION AND MAINTENANCE MUST BE PERFORMED BEFORE EACH USE
- 2) USE OF THIS EQUIPMENT OTHER THAN INTENDED, MAY BE HAZARDOUS.
- 3) ALTERATION OR MODIFICATION OF EQUIPMENT MAY BE HAZARDOUS. FOR REPAIR OR REPLACEMENT, PLEASE CALL YOUR DEALER

JAYPRO SPORTS, LLC


976 HARTFORD TURNPIKE
WATERFORD, CT 06385 USA
(800)243-0533
(800)988-3363 FAX
WWW.JAYPRO.COM

MODEL NO.:
EZ-55

PRODUCT NAME:
BASE ASSEMBLY

DRAWN BY: JAC

EFFECTIVE DATE:
4-8-03



GAME STANDARDS INTENDED FOR RECREATIONAL USE ONLY

SEE "BASE ASSEMBLY" FOR INSTALLATION DETAILS.

PLEASE NOTE:

- 1) FOR SAFE OPERATION AND CONTINUED HIGH PERFORMANCE FROM THIS EQUIPMENT, INSPECTION AND MAINTENANCE MUST BE PERFORMED BEFORE EACH USE
- 2) USE OF THIS EQUIPMENT OTHER THAN INTENDED, MAY BE HAZARDOUS.
- 3) ALTERATION OR MODIFICATION OF EQUIPMENT MAY BE HAZARDOUS. FOR REPAIR OR REPLACEMENT, PLEASE CALL YOUR DEALER

JAYPRO SPORTS, LLC
 976 HARTFORD TURNPIKE
 WATERFORD, CT 06385 USA
 (800)243-0533
 (800)988-3363 FAX
 WWW.JAYPRO.COM

MODEL NO.: **EZ-55**
 PRODUCT NAME: **NET POSITIONS**
 DRAWN BY: JAC
 EFFECTIVE DATE: 4-8-03

JAYPRO SPORTS
EZ ROLLER GAME STANDARD, EZ-55
LIST OF MATERIALS

<u>PIECE NO.</u>	<u>PART NO.</u>	<u>DESCRIPTION</u>	<u>QTY.</u>
1	EZ551	BASE ASSEMBLY	1
2	HS307	THUMB SCREW	1
3	EC0042	END CAP	2
4	EZ552	WHEEL AND AXLE	2
5	HS292	HEX HEAD SCREW 3/8"-16 x 3"	1
6	HN265	LOCKNUT 3/8"	1

ASSEMBLY INSTRUCTIONS

TOOLS REQUIRED: 9/16" SOCKET WRENCH
3/4" SOCKET WRENCH OR
2 8" ADJUSTABLE WRENCHES

- 1) ASSEMBLE ONE END CAP (3) ONTO ONE SIDE OF THE BASE CAVITY. FILL CAVITY FULLY WITH AT LEAST 55 lbs OF FINE SAND. CLOSE REMAINING END OF BASE CAVITY WITH END CAP (3). MAKE SURE CAPS ARE FULLY SEATED.
- 2) CAREFULLY ASSEMBLE WHEEL/AXLE (4) INTO THE COUPLING NUTS ON THE REAR OF THE BASE. TIGHTEN ONLY UNTIL INSIDE OF WHEEL HUB RESTS AGAINST BLACK CAP. DO NOT OVERTIGHTEN.
- 3) ASSEMBLE REMAINING FASTENERS AS SHOWN IN THE ILLUSTRATION.

CAUTION

DO NOT PUT EXCESSIVE LOADS ON THE UPRIGHTS OR THE UNIT MAY
BECOME UNSTABLE.

FOR RECREATIONAL USE ONLY