






www.gillathletics.com

800-637-3090

500 - STEEL VAULT BOX SPECIFICATIONS

SPECIFICATIONS

The 500 Steel Vault Box is fabricated from 13 gauge [2.3mm] steel. The sides and bottom of the box are cut out and folded from a single sheet. The box backstop is welded to the sides and bottom with one continuous weld along the outside edge. The upper edges along the front, sides, and back are folded over 7/8" [2.2cm] to eliminate any sharp edges. Two outer side wings secure the box position when placed in concrete.




Section A-A



www.gillathletics.com
800-637-3090

500 SERIES VAULT BOXES 500, 502, & 504 INSTALLATION INSTRUCTIONS

INSTALLATION OF BOX IN NEW OR EXISTING RUNWAY




NOTICE: All installations should be conducted by experienced contractors and in accord with all applicable codes, laws and regulations. Suggested instructions herein are illustrative only and should be adapted to suit local requirements. Gill Athletics is not responsible for the manner in which these products are installed.



www.gillathletics.com
800-637-3090

500 SERIES VAULT BOXES 500, 502, & 504 INSTALLATION INSTRUCTIONS

INSTALLATION OF BOX IN GYM FLOOR



NOTICE: All installations should be conducted by experienced contractors and in accord with all applicable codes, laws and regulations. Suggested instructions herein are illustrative only and should be adapted to suit local requirements. Gill Athletics is not responsible for the manner in which these products are installed.

THIS WARNING IS GIVEN IN COMPLIANCE
WITH CALIFORNIA'S PROPOSITION 65:

WARNING

This product contains chemicals known to the
State of California to cause cancer, birth defects
or other reproductive harm.

suggestions@gillathletics.com
Copyright ©2005 by Gill Athletics. All rights reserved.

GILL ATH
02/27/02
500-502-504_inst2