

# PRODUCT SPECIFICATIONS FOR



# **MODEL MS-4**

www.sportablescoreboards.com

SPORTABLE SCOREBOARDS 106 Max Hurt Drive Murray, KY 42071

Phone: 1-800-323-7745 Fax: 270-759-4112



## SCOREBOARD SPECIFICATIONS

**MODEL MS-4** 

Score every event anywhere with this portable scoreboard, large 9" & 6" high super-bright 100,000-hour rated LED numerals are the largest with the widest viewing angle in the industry and are visible from over 300 feet. The 22-gauge galvanneal steel cabinet with powder-coat finish means your scoreboard is the most durable on the market and will look brand new for many years!

#### **OVERALL DIMENSIONS**

52" x 68" x 8" (MS-4 Assembly – Legs Attached) 52" x 38" x 8" (MS-4 Cabinet – No Legs Attached)

#### WEIGHT

Rolling weight: 90 lbs Shipping weight: 120 lbs.

#### **CONSTRUCTION**

22-gauge galvanneal steel cabinet with powder coat finish for strength, durability, and lasting appearance

#### **POWER REQUIREMENTS**

#### Scoreboard:

(1) 20-amp, 120-volt, 60-hertz, grounded AC circuit connected to an ON/OFF switch and/or circuit breaker

#### **CONTROLLER**

Handheld controller with keypad inserts for available sports

#### SCORING INFORMATION DISPLAYED

CLOCK: 4 - digit displays, counts up or down, 9:59-0:00 or 0:00-9:59

PERIOD: 1 - digit display, 0-9

**HOME and GUEST:** 2 – digit displays, 0-99

MISC FUNCTION DOTS: Dots

#### CAPTIONS (Height)

**PERIOD:** 1.5"

**HOME and GUEST: 2.5"** 

**Polymeric Calendared Vinyl Lettering** 

#### **DISPLAYS**

Home and Guest: 9" digits, 160 degree visibility, red, 100,000 hour-rated, indoor Super-Bright LED (light emitting diode) displays

Period/Inning: 9" digit, 160 degree visibility, red, 100,000 hour-rated, indoor Super-Bright LED (light emitting

diode) displays

**Dots:** 2" dot. 160 degree visibility, red. 100,000 hour-rated, indoor Super-Bright LED (light emitting diode) dots

# **APPROVALS**

ETL/CSA listed

**Scoreboard:** Meets all FCC Class A requirements **2.4GHz wireless transmitter:** FCC Part 15 certified

2.4GHz wireless receiver: Meets all FCC Part 15 requirements

#### **LEG ASSEMBLY**

1.5", 16 gauge square tubing legs, bolted to cabinet

(4) 8" wheels, 3/4" width

#### **WARRANTY**

This product is warranted against defects in materials and workmanship for the period specified in the warranty the date of invoice. Complete warranty details are included in the Operation Manual shipped with each unit.

## **SERVICE**

Technical Support is available 24 hours a day, 7 days a week @ 1-800-411-3136

# INSTALLATION

This model is portable, no mounting is needed.

Support structure and mounting hardware supplied by installer/others

# SCOREBOARD CONTROLLER

**Dimensions:** 2-1/4" X 1-1/4" tapered height X 6.0" width x 7.0" depth.

Weight: 1.0 lbs.

Is powered from the scoreboard when connected directly to it, if using the wireless the controller will need 4 AA batteries

