


Made of corrosion-resistant aluminum, this platform supports the 668 pole vault landing systems above the ground to prevent water damage. The platform consist of individual, easy to carry and convenient to store pallets which are quickly assembled and disassembled.







PART#

DESCRIPTION

| 1 | 73366320 | 733663 Middle Section Assembly | 6 | | |
|----|---|---|----|------|--|
| 2 | 73366330 | 733663 Front Left Section Assembly | 1 | | |
| 3 | 73366340 | 733663 Front Right Section Assembly | 1 | | |
| 4 | 73366350 | 733663 Front Left Extension Assembly | 1 | | |
| 5 | 73366360 | 733663 Front Right Extension Assembly | 1 | | |
| 6 | 73366850 | 733668 Front Extension 2 Assembly | 2 | | |
| 7 | 73366830 | 733668 Front Left Extension 3 Assembly | 1 | (10) | |
| 8 | 73366840 | 733668 Front Right Extension 3 Assembly | 1 | | |
| 9 | 73366820 | 733668 Rear Right Section Assembly | 1 | | |
| 10 | 73366810 | 733668 Rear Left Section Assembly | 1 | | |
| 11 | SHET00494 | Connector Bracket | 28 | | |
| | | 6 | | | |
| | Position the front sections on the track. | | | | |

Lift up the back and place the Connector Brackets under the planking. Use two brackets per section; one at each end.

QTY

Now lay the middle sections down so that they engage the bracekts.

Position the bracket under the first section.

Connector Bracket

