


Made of corrosion-resistant aluminum, this platform supports the 646 high jump landing systems above the ground to prevent water damage. The platform consist of individual, easy to carry and convenient to store pallets which are quickly assembled and disassembled.



 $\begin{array}{l} Copyright @ 2017 \ by \ Gill \ Athletics. \\ All \ rights \ reserved. \end{array}$ 



3

1

## 733646 - PIT PLATFORM CUSTOMER INSTRUCTIONS

5

	PART #	DESCRIPTION	QTY
1	73364610	733646 Front Left Section Assembly	1
2	73364620	733646 Front Right Section Assembly	1
3	73364630	733646 Middle Section Assembly	2
4	73364640	733646 Back Section Assembly	1
5	73364650	733646 Back Right Section Assembly	1
6	SHET00494	Connector Bracket	8

Position the front sections on the track.

Lift up the back and place the Connector Brackets under the planking. Use two brackets per section; one at each end.

Now lay the middle sections down so that they engage the bracekts.

Repeat the same procedure to attach the rear sections.

Position the bracket under the first section.

Copyright ©2017 by Gill Athletics. All rights reserved. **WARNING**: Cancer and Reproductive Harm – For more information go to www.p65warnings.ca.gov

7/10/2019 INST733646 Page 2 of 3



