

Made of corrosion-resistant aluminum, this platform supports the 648 high jump landing systems above the ground to prevent water damage. The platform consist of individual, easy to carry and convenient to store pallets which are quickly assembled and disassembled.



Copyright @2017 by Gill Athletics. All rights reserved.



3

4

733648 - PIT PLATFORM CUSTOMER INSTRUCTIONS

| | PART # | DESCRIPTION | QTY |
|---|-----------|-------------------------------------|-----|
| 1 | 73364810 | 733648 Front Left Section Assembly | 1 |
| 2 | 73364820 | 733648 Front Right Section Assembly | 1 |
| 3 | 73364830 | 733648 Middle Section Assembly | 2 |
| 4 | 73364840 | 733648 Back Section Assembly | 2 |
| 5 | SHET00494 | Connector Bracket | 8 |

Position the front sections on the track.

Lift up the back and place the Connector Brackets under the planking. Use two brackets per section; one at each end.

Now lay the middle sections down so that they engage the bracekts.

Repeat the same procedure to attach the rear sections.

Lower the next section onto the bracket.

2




Position the bracket under the first section.



Copyright @2017 by Gill Athletics. All rights reserved.

WARNING: Cancer and Reproductive Harm – For more information go to www.p65warnings.ca.gov/





7/10/2019 INST733648 Page 3 of 3