




www.gillathletics.com
800-637-3090

79200 - 5 DIGIT NATIONAL PERFORMANCE INDICATOR SPECIFICATIONS



The National Performance Indicator stands 5'-8" tall, with five large 9" numerals and the display rotates 360 for visibility.

Three of the numerals are black and two are red.
Display frame and upright are aluminum with powder coat finish.


The 45lb powder coated steel base is 22" square with tip and roll wheels.

Parts:

BASE00149 - Base Assembly


79210 - Display Frame

79120 - Upright Post



 **WARNING:** This product can expose you to Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov.

ASSEMBLE BASE AS SHOWN BELOW

#	Part #	Description	Qty.
1	BASE00148	PERFORMANCE INDICATOR BASE WELDMENT; BLACK	1
2	HDWE030790E0	NYLOCK HEX NUT THIN- 6-32	4
3	HDWE050020E0	FLAT WASHER; 5/16"; ZINC; USS	8
4	HDWE050130E0	FLAT WASHER; #10; 1/4" ID X 1/2" OD; ZINC	4
5	HDWE06274	ROUND HEAD SCREW; #6-32 X 3/4"; PHIL DRIVE; SS	4
6	M1232	5/16"-18 Nylock Hex Nut	4
7	M2834	5/16"-18 x 2" Hex Bolt Full Thread	2
8	M717B	Ball Bearing	4
9	M718	61 mm skate wheel	2
10	M726	Black Rubber Foot	4




WHEEL NEEDS TO SPIN FREELY.
 DO NOT THIGHTEN OUTSIDE
 NUT AGAINST WHEEL.



ASSEMBLE UPRIGHT ONTO BASE AS SHOWN BELOW


#	Part #	Description	QTY.
2	79120	Lap Counter Display Upright	1
3	BASE00149	PERFORMANCE INDICATOR BASE ASSEMBLY	1
4	HDWE012440E0	HEX HEAD TAP BOLT; 5/16"-18 X 1-1/4"; ZINC; GRADE 5; FULL THREAD	4
5	HDWE050020E0	FLAT WASHER; 5/16"; ZINC; USS	8
6	M1232	5/16"-18 Nylock Hex Nut	4





www.gillathletics.com
800-637-3090

79200 - 5 DIGIT NATIONAL PERFORMANCE INDICATOR ASSEMBLY INSTRUCTIONS



SLIDE INDICATOR ONTO UPRIGHT

#	Part #	Description	Qty.
1	79210	5 DIGIT DISPLAY ASSEMBLY	1
2	79120	Lap Counter Display Upright	1