




www.gillathletics.com  
800-637-3090

## 79100 - 4 DIGIT SCHOLASTIC PERFORMANCE INDICATOR ASSEMBLY INSTRUCTIONS



The Scholastic Performance Indicator stands 5'-8" tall, with four large 9" numerals and the display rotates 360 for visibility.

Two of the numerals are black and two are red. Display frame and upright are aluminum with powder coat finish.

The powder coated steel base is 18" square with tip and roll wheels.

### Parts:

700205 - Base Assembly

79110 - Display Frame

79120 - Upright Post

**⚠ WARNING:** This product can expose you to Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to [www.p65warnings.ca.gov](http://www.p65warnings.ca.gov).



www.gillathletics.com  
800-637-3090

## 79100 - 4 DIGIT SCHOLASTIC PERFORMANCE INDICATOR ASSEMBLY INSTRUCTIONS

Assemble the base and fasten it to the upright as shown below.

**Do not over tighten the nylock nut that holds the skate wheel in place. The wheel must be able to spin.**


Check equipment for loose connections and re-tighten once per year.

### Tools Required:

(2)  $\frac{1}{2}$ " Wrench

### Hardware:

- (4) M2599  $\frac{1}{4}$ "-20 Leveling Glide, Zinc-Plated
- (2) M718 61mm Skate Wheel
- (4) M717B Bearing (2 per skate wheel)
- (2) M2834  $\frac{5}{16}$ "-18 x 2" Full Thread Hex Bolt, Zinc-Plated
- (4) M2586  $\frac{5}{16}$ "-18 x  $1\frac{1}{2}$ " Hex Bolt, SS
- (8) M1254  $\frac{5}{16}$ "-18 Nylock Hex Nut, Zinc-Plated
- (12) M2591  $\frac{5}{16}$ " Flat Washer, SS





www.gillathletics.com  
800-637-3090

## 79100 - 4 DIGIT SCHOLASTIC PERFORMANCE INDICATOR ASSEMBLY INSTRUCTIONS

