




www.gillathletics.com
800-637-3090

79300 - LAP COUNTER ASSEMBLY INSTRUCTIONS



The Lap Counter stands 5'-8" tall, with two large 9" numerals for visibility and a large bell.

Display frame and upright are aluminum with powder coat finish.

The powder coated steel base is 18" square with tip and roll wheels.

Parts:

700105 - Base Assembly

79320 - Upright Post & Bell

79310 - Display Frame



www.gillathletics.com
800-637-3090

79300 - LAP COUNTER ASSEMBLY INSTRUCTIONS

Assemble the base and fasten it to the upright as shown below.

Do not over tighten the nylock nut that holds the skate wheel in place. The wheel must be able to spin.


Check equipment for loose connections and re-tighten once per year.

Tools Required:

- (2) $\frac{1}{2}$ " Wrench
- (1) Flat Head Screwdriver

Hardware:

- (4) M726 Black Rubber Foot
- (4) M2229 #6-32 x $\frac{5}{8}$ " Truss Head Screw
- (4) M2228 #6-32 Flange Whiz-nut
- (2) M718 61mm Skate Wheel
- (4) M717B Bearing (2 per skate wheel)
- (2) M2834 $\frac{5}{16}$ "-18 x 2" Full Thread Hex Bolt, Zinc Plated
- (4) M2207 $\frac{5}{16}$ "-18 x $1\frac{1}{2}$ " Hex Bolt, Zinc-Plated
- (8) M1254 $\frac{5}{16}$ "-18 Nylock Hex Nut, Zinc-Plated
- (12) M2273 $\frac{5}{16}$ " Flat Washer, Zinc-Plated






www.gillathletics.com
800-637-3090

79300 - LAP COUNTER ASSEMBLY INSTRUCTIONS

#	Part #	Description	Qty.
1	79310	2 DIGIT POLE VAULT DISPLAY	1
2	79320	LAP COUNTER UPRIGHT; ASSEMBLY	1
3	M2809	3/8" Flat Washer, Black	2
4	M2807	3/8" Lock washer, Black	2
5	M2863	3/8" - 16 Hex Bolt	2





www.gillathletics.com
800-637-3090

79300 - LAP COUNTER ASSEMBLY INSTRUCTIONS

