

# SPECIFICATIONS FOR



**MODEL SC-9**

**[www.sportablescoreboards.com](http://www.sportablescoreboards.com)**

## OVERALL DIMENSIONS

28" H x 26" W x 4" D (each clock)

## WEIGHT

Hanging weight: 22 lbs. (each clock)

Shipping weight: 40 lbs. (each clock)

## CONSTRUCTION

22-gauge galvanized steel cabinets with a powder coat finish for maximum strength, durability and lasting appearance.

## POWER REQUIREMENTS

Shot Clock (*each clock*)

(1) 20-amp, 120-volt, 60-hertz, grounded AC circuit connected to an ON/OFF switch and/or circuit breaker.

Shot Clock Control:

(1) Plug-in adapter to main scoreboard keyboard.

## INFORMATION DISPLAYED

13", 2-digit countdown clock (59-0)

## SHOT CLOCK DIGITS

13", 100,000 hour-rated super bright red LED (light emitting diode) displays; low power consumption, increased visibility and no maintenance; no light bulbs to replace ever.

## WARRANTY

This product is warranted against defects in materials and workmanship for the period specified in the warranty the date of invoice. The complete warranty details are included in the operation manual shipped with each unit. ***INDOOR USE ONLY.***

## APPROVALS

**ETL/CSA listed**

**Scoreboard:** Meets all FCC Class A requirements

**900 MHz wireless transmitter:** FCC Part 15 certified

**900 MHz wireless receiver:** Meets all FCC Part 15 requirements

## SERVICING

**Technical Support is available 24 hours a day, 7 days a week @ 1-800-411-3126.**

## **INSTALLATION**

This model is a portable unit and there are no stationary instructions for mounting it may be set on the floor or on a table top.

## **SHOT CLOCK CONTROL**

### **Cable-controlled systems (standard) Model SC-9**

Cable control systems are shipped standard with:

(1) Keyboard controller and plug-in adapter (runs off of scoreboard controller.)

(1) Customer-desired length of 3-conductor, shielded control cable (runs from the junction box at scorekeeper's location to the scoreboard)

### **900 MHz wireless system (optional) Model SC-9**

900 MHz wireless systems are shipped standard with:

(1) Keyboard controller and plug-in adapter (runs off of scoreboard controller.)

(2) 900 MHz receivers (connects to each clock, eliminating control cable and junction box installation)

## **OPTIONS**

Internal battery supply

Table top legs

Wireless communications