

SPORTABLE SCOREBOARDS®

INSTALLATION INSTRUCTIONS FOR

	1	2	3	4	5	6	7	8	9	TOTAL
GUEST	1	0	0	2	0	0	2			5
HOME	2	3	0	4	0	0	3			12

Model HN-3

www.sportablescoreboards.com

INSTALLATION INSTRUCTIONS

Model HN-3

4' X 8' INNING BY INNING SCOREBOARD

NOTE TO INSTALLERS: PLEASE RETURN THIS MANUAL TO THE INDIVIDUAL IN CHARGE OF THE SCOREBOARD UPON COMPLETION OF INSTALLATION.

The scoreboard and all accompanying accessories have been carefully inspected and tested before leaving the factory. However, it is possible for damage to have occurred during shipping so we ask that you inspect all shipping containers upon arrival for damage and ensure that you have all of the parts listed below. If you find that damage has occurred during shipping: 1) accept the shipment from the carrier... **DO NOT** refuse the shipment, 2) follow the instructions for filling a freight damage claim found below, and 3) notify the manufacturer immediately.

THE SCOREBOARD SYSTEM SHOULD INCLUDE THE FOLLOWING PARTS:

ITEMS IN BOX

- (1) 4' X 8' scoreboard
- (8) L-Brackets
- (16) #10 X ¾ " Screws
- (16) #10 X 1 – ½ " Wood Screws
- (1) Hanging Number Set (Includes 48 Number Panels)

INSTRUCTIONS FOR REPORTING SHIPPING DAMAGE

Shipping damage must be noted at the time of delivery. Consignee must note "DAMAGED" on the Delivery Receipt Form. Please make notations of the type of damage to the freight and to the packaging. Ask the delivery driver to call the local terminal and report immediately. The shipper is **not responsible** for the shipments that are not signed for as damaged upon arrival. Please contact the manufacturer immediately to report the damage. The shipper is responsible for filing the claim, unless shipped 3RD Party.

If damage is discovered after delivery, call the delivery company to report the concealed damage and please call the manufacturer immediately to report. Concealed damage must be reported within 5 days after delivery date. If the damages are found after this time, the manufacturer will not be responsible.

ARCHITECT'S SPECIFICATIONS

Overall Dimensions:

4'-0" tall X 8'-0" long; shipped in one (1) section

Weight:


Hanging weight = approximately 50 lbs
Shipping weight = approximately 100 lbs

Mounting Requirements:

Two (2) mounting poles *(supplied by the customer)*

INSTALLING THE MOUNTING POLES

Install the two (2) mounting poles *(supplied by the customer)* on the field 4'-0" (four feet, zero inches) center to center (refer to the installation diagram below).



MOUNTING THE SCOREBOARD

Once the mounting poles have been installed, use the supplied # 10 X 3/4" screws to attach two (2) of the supplied L-Brackets to the scoreboard's mounting bracket, so that they are on each side of the mounting pole. Use the supplied # 10 X 1 - 1/2" Wood Screws to attach the L-Bracket to the mounting pole (refer to installation diagram below). Repeat this step until all L-Brackets have been attached to the scoreboard's mounting bracket and secured to the mounting poles.

